

Section 13  
**References**





## 13. References

- ALA (2015). Atlas of Living Australia Database. [www.ala.org.au](http://www.ala.org.au) (accessed January 2015).
- Anon. (1978). Unpubl. Species list for Yeelirrie Project area from 1978 ERMP.
- Australian Atomic Energy Commission (AAEC) (1978). Three baseline studies in the environment of the uranium deposit at Yeelirrie, Western Australia, Brownscombe, A. J *et al*, Australian Atomic Energy Commission, 1978.
- AAEC (1985). Australian Atomic Energy Commission Research Establishment Lucas Heights Research Laboratories, Options for clean-up of the Maralinga test site, Environmental Science Division, June 1985.
- Australian Radiation Protection and Nuclear Safety Agency (ARPANSA) (2005). Code of Practice and Safety Guide for Radiation Protection and Radioactive Waste Management in Mining and Mineral Processing (2005), Australian Radiation Safety and Nuclear Safety Agency.
- Australian Radiation Protection and Nuclear Safety Agency, Australian National Radiation Dose Register Fact Sheet. 2013.
- ARPANSA (2011) <http://www.arpansa.gov.au/radiationprotection/Basics/understand.cfm>
- ARPANSA (2012). 'Understanding Radiation', Radiation Protection, (<http://www.arpansa.gov.au/radiationprotection/basics/understand.cfm>) accessed: 14 May 15.
- ARPANSA (2014). A review of existing Australian radionuclide activity concentration data in non-human biota inhabiting uranium mining environments, Technical Report 167 May 2014.
- Arup Pty Ltd (2011) Transport Impact Assessment-Proposed Yeelirrie Development.
- Australian Bureau of Statistics (ABS) (2012a), 2011 Census QuickStats for Shire of Wiluna (LGA59250), ABS, Canberra (<http://www.abs.gov.au/websitedbs/censushome.nsf/home/quickstats>) viewed 28 January 2015.
- Australian Bureau of Statistics (ABS) (2012b), 2011 Census QuickStats for Western Australia (5RWAU), ABS, Canberra (<http://www.abs.gov.au/websitedbs/censushome.nsf/home/quickstats>) viewed 28 January 2015.
- Australian Early Development Census (AEDC) (2012). (<https://www.aedc.gov.au>) viewed 31 March 2015.
- Bamford Consulting Ecologists (BCE) (2011a). Vertebrate Fauna Assessment: Yeelirrie Project Baseline Report. Unpubl. report to URS Australia Pty Ltd, by Bamford Consulting Ecologists, Kingsley.
- BCE (2011b). Fauna Assessment of the Yeelirrie Fauna Study Area Impact Assessment Report. Unpubl. report to URS Australia Pty Ltd, by Bamford Consulting Ecologists, Kingsley.
- BCE (2011c). Hinge Project Area Fauna Assessment. Unpubl. report to Karara Mining Pty Ltd, by Bamford Consulting Ecologists, Kingsley.
- BCE (2014). Rosslyn Hill Project Proposed Priority Expansion Areas Fauna Assessment October 2014. Unpubl. report to Strategen, by Bamford Consulting Ecologists, Kingsley.
- BCE (2015a). Yeelirrie Terrestrial Vertebrate Fauna Review Report. Unpubl. report to Cameco Pty Ltd, by Bamford Consulting Ecologists, Kingsley.

- BCE (2015b). Yeelirrie Terrestrial Invertebrate Fauna Review Report. Unpubl. report to Cameco Pty Ltd, by Bamford Consulting Ecologists, Kingsley.
- Banta, R.M., Newsom, R.K., Lundquist, J.K., Pichugina, Y.L., Coulter, R.L and Mahrt, L.D. (2002). Nocturnal Low-level Jet Characteristics over Kansas during CASES-99. *Boundary-Layer Meteorology*, 105, pp.221–252.
- Barrett, R. (2014). Genetic difference and the definition of taxonomic rank: Implications for the classification of *Atriplex* sp. Yeelirrie Station. Draft report prepared by Russell Barrett, B.Sc., Ph.D. for Western Botanical and Cameco Australia.
- Barranco, P., and Harvey, M.S. (2008) The first indigenous palpigrade from Australia: a new species of *Eukoenia* (Palpigradi: Eukoeniidae). *Invertebrate Systematics* 22, 227-233.
- Baehr, B.C., Harvey, M.S., Burger, M., and Thoma, M. (2012) The new Australasian Goblin Spider genus *Prethopalpus* (Araneae, Oonopidae). *Bulletin of the American Museum of Natural History*, 369, 1-113.
- Beard, J.S. (1976). Vegetation survey of Western Australia. Murchison 1:1 000 000 Vegetation series. Explanatory Notes to and Map Sheet 6. University of Western Australia Press, Perth.
- Beard, J.S. (1979). A New Phytogeographic Map of Western Australia. *Western Australian Herbarium Research Notes*. No 3, pp 37-58.
- Beard J.S. (1998). Position and developmental history of the central watershed of the Western Shield, Western Australia. *Journal of the Royal Society of Western Australia* 81, 157-164.
- Bennelongia (2007). Report on subterranean fauna of the Duketon Gold Project area, north of Laverton. Report 2007/014. Bennelongia Pty Ltd, Jolimont, 23 pp.
- Bennelongia (2008a) Troglifauna survey at Koolyanobbing. Report 2008/49. Bennelongia Pty Ltd, Jolimont 19 pp.
- Bennelongia (2008b) Troglifauna survey at Mount Jackson. Report 2008/50. Bennelongia Pty Ltd, Jolimont, 11 pp.
- Bennelongia (2009) Jimblebar Iron Ore Project troglifauna assessment. Report 2009/61, Bennelongia Pty Ltd, Jolimont, 55 pp.
- Bennelongia (2011) Yilgarn Iron Ore Project: troglifauna surveys. Report 2011/119, Bennelongia Pty Ltd, Jolimont, 27 pp.
- Bennelongia (2012) Mummaloo Project: Subterranean fauna. Report 2012/173, Bennelongia Pty Ltd, Jolimont, 24 pp.
- Bennelongia (2015) Yeelirrie Stygofauna Assessment. Unpublished letter report to Cameco Australia. Jolimont, WA, 11 pp.
- Benshemesh, J., S. Dennings, C. Danzi, and A. Sanders. (2008). Malleefowl searches at Yeelirrie station in arid Western Australia: a valuable collaboration between industry and volunteers. In: Davies S.J.J.F. (ed) *Katanning National Malleefowl Forum 2007*. School of Environmental Biology Bulletin No.28, Curtin University of Technology, Perth WA.
- BHP Billiton (2009). Olympic Dam Expansion Draft Environmental Impact Statement (DEIS) 2009, Supplementary Environmental Impact Statement (SEIS) 2011.
- Birdlife Australia (2015). Birddata Database. [www.birddata.com.au](http://www.birddata.com.au) (accessed January 2015).

- Blandford (D.C.) & Associates Pty Ltd (2011). Soils and Soil Landscapes of the Study Area. Prepared for Landcare Holdings Pty Ltd on behalf of BHP Billiton Yeelirrie Development Company Pty Ltd, January 2011.
- Bradford, T., Adams, M., Humphreys, W.F., Austin, A.D., and Cooper, S.J.B. (2010) DNA barcoding of stygofauna uncovers cryptic amphipod diversity in a calcrete aquifer in Western Australia's arid zone. *Molecular Ecology Resources* 10, 41-50.
- Bradshaw, S. D., Morris, K. D., and Bradshaw, F. J. (2001). Water and electrolyte homeostasis and kidney function of desert-dwelling marsupial wallabies in Western Australia. *Journal of Comparative Physiology B*, 171(1), 23-32.
- Brown, J.E., Alfonso, B., Avila, R., Beresford, N.A., Copplestone, D., Prohl, G., Ulanovsky, A. (2008). The ERICA Tool. *Journal of Environmental Radioactivity*, 99pp 1371 – 1383.
- Burbidge, A.A. and McKenzie, N.L. (1989). 'Patterns in the modern decline of Western Australia's vertebrate fauna: causes & conservation implications.' *Biological Conservation*, vol. 50, pp. 143-98.
- Byrne, M., Steane, D.A., Joseph, L., Yeates, D.K., Jordan, G.J., Crayn, D., Aplin, K., Cantrill, D.J., Cook, L.G., Crisp, M.D., Keogh, J.S., Melville, J., Moritz, C., Porch, N., Sniderman, J.M.K., Sunnucks, P., and Weston, P.H. (2011) Decline of a biome: evolution, contraction, fragmentation, extinction and invasion of the Australian mesic zone biota. *Journal of Biogeography* 38, 1635-1656.
- Byrne, M., Yeates, D.K., Joseph, L., Kearney, M., Bowler, J., Williams, M.A.J., Cooper, S.J.B., Donnellan, S.C., Keogh, J.S., Leys, R., Melville, J., Murphy, D.J., Porch, N., and Wyrwoll, K.H. (2008) Birth of a biome: insights into the assembly and maintenance of the Australian arid zone biota. *Molecular Ecology* 17, 4398-4417.
- Cameco (2013). Kintyre Uranium Project Environmental Review and Management Programme, Cameco Australia 2013.
- Cameco (2015a). Conceptual Mine Closure Plan for the Yeelirrie Uranium Project. Mineral Field number 53, Document ID YRE-MCP-001, Version: C.1, June 2015.
- Cameco (2015b). Conservation Species Management Plan, May 2015.
- Cameco (2015c). Development of Tailings and Mine Waste Source Terms for the Proposed Yeelirrie Mine, January 16, 2015 (Geo-environmental Engineering, SHEQ, Environmental Affairs).
- Cameco (2015d). Numerical Groundwater Flow and Solute Transport Model of the Yeelirrie Uranium Deposit, January 2015 (Geo-environmental Engineering, SHEQ, Environmental Affairs).
- Cameco (2015e). Yeelirrie Tailings Storage Facility Design and Management, January 16, 2015 (Geo-environmental Engineering, SHEQ, Environmental Affairs).
- Cember (2009). Introduction to Health Physics (4th Edition) Herman Cember & Thomas E Johnson.
- Chambers (2009). Radon Emissions From Tailings Ponds, Presented at National Mining Association (NMA) /Nuclear Regulatory Commission (NRC) Uranium Recovery Workshop Denver – July 2, 2009, Dr. Douglas B. Chambers, SENES Consultants Limited
- Clarke, L.J., Jardine, D.I., Byrne, M., Shepherd, K. & Lowe, A.J. (2012). Significant population genetic structure detected for a new and highly restricted species of *Atriplex* (Chenopodiaceae) from Western Australia, and implications for conservation management. *Australian Journal of Botany* 60(1): 32-41.
- Cooper, S.J.B., Hinze, S., Leys, R., Watts, C.H.S., and Humphreys, W.F. (2002) Islands under the desert: molecular systematics and evolutionary origins of stygobitic water beetles (Coleoptera: Dytiscidae) from central Western Australia. *Invertebrate Systematics* 16, 589-598.

- Cooper, S.J.B., Saint, K.M., Taiti, S., Austin, A.D., and Humphreys, W.F. (2008) Subterranean archipelago: mitochondrial DNA phylogeography of stygobitic isopods (Oniscidea: Haloniscus) from the Yilgarn region of Western Australia. *Invertebrate Systematics* 22, 195-203.
- Copplestone, D., Hingston, J. & Real, A. (2008). The development and purpose of the FREDERICA radiation effects database. In: *Journal of Environmental Radioactivity*, 2008, 99pp, 1456 – 1463.
- Cowan, M. (2001). Murchison 1 (MUR1 – East Murchison subregion). In: Department of Conservation and Land Management (CALM) (2002). *A Biodiversity Audit of Western Australia's 53 Biogeographical Subregions in 2002*.
- Cowan, M. (2008). Australian biodiversity assessment. Annex 2.3, examples of trends in significant species and communities: small mammals and reptiles of Lorna Glen ex-pastoral station. Department of Environment and Conservation, Kensington, WA.
- Creely, KS, Van Tongeren, M, While, D, Souter, AJ, Tickner, J, Agostini, M, De Vocht, F, Kronhout, H, Graham, M, Bolton, A, Cowie, H and Cherrie JW, (2006). Trends in Inhalation Exposure – mid 1980s till present, HSE Research Report 460, HSE Books, Sudbury, UK.
- CSIRO, Australian Bureau of Meteorology (2007). *Climate change in Australia: technical report 2007*. CSIRO. 148 pp
- de Broekert, P., Sandiford, M., (2005). Buried inset-valleys in the eastern Yilgarn Craton, Western Australia: geomorphology, age and allogenic control, *Journal of Geology*, 113, 471-493.
- de Gand, D. & Wohlan, C., (1998). The Wanmulla Peoples social history project. Prepared for the Wanmulla People Native Title Claimants.
- Department of the Environment (DoE) (2013). *Matters of National Environmental Significance. Significant impact guidelines 1.1. Environment Protection and Biodiversity Conservation Act 1999*. Department of the Environment. Canberra, Australia.
- DOE (2014a). *National Greenhouse Accounts (NGA) Factors*, published by the Department of Climate Change and Energy Efficiency, Commonwealth of Australia, Canberra, July 2014, pp. 1-74.
- DOE (2014b). *Technical Guidelines for the Estimation of Greenhouse Gas Emissions by Facilities in Australia: National Greenhouse and Energy Reporting (Measurement) Determination 2008*.
- DoE (2015). *EPBC Protected Matters Search Tool*. (accessed January 2015). Department of the Environment. Canberra, Australia.
- Department of Environment and Conservation (DEC), Government of Western Australia, 2004, *Ambient Air Quality Guidelines*, <http://www.dec.wa.gov.au/>
- DEC, Traditional Owners Millstream Park Council & Conservation Commission Western Australia (2011). *Millstream Chichester National Park and Mungaroona Range Nature Reserve Management Plan No. 69, 2011*.
- Department of Environment Regulation (DER), 2006, *Air Quality Modelling Guidance Notes*.
- Department of Mines and Petroleum (DMP) (2010). *Managing naturally occurring radioactive material (NORM) in mining and mineral processing: Guideline. NORM 1. Applying the System of Radiation Protection to Mining Operations: Resources Safety*, Department of Mines and Petroleum, Western Australia, 34pp.
- DMP (2013). *Guide to Uranium in Western Australia*. Department of Mines and Petroleum, May 2013.



- DMP (2014). Mineral and Petroleum Industry 2013-14 Review. (<http://www.dmp.wa.gov.au/1525.aspx>) viewed 27 January 2015.
- DMP and Environmental Protection Authority (2015). Guidelines for Preparing Mine Closure Plans, May 2015 (Revision of the Guidelines for Preparing Mine Closure Plans, June 2011).
- Department of Industry Tourism and Resources (DITR) (2006a). Leading Practice Sustainable Development Program for the Mining Industry: Mine Closure and Completion. October, 2006.
- DITR (2006b). Leading Practice Sustainable Development Program for the Mining Industry: Mine Rehabilitation. October, 2006.
- Department of Parks and Wildlife (DPAW) (2015). NatureMap Database. <http://naturemap.dpaw.wa.gov.au/default.aspx> (accessed January 2015).
- Department of Sustainability Environment Water Population and Communities (SEWPaC) (2012). Environment Protection and Biodiversity Conservation Act 1999 Environmental Offsets Policy, October 2012
- Dell, J., How, R.A., Milewski, A.V. and Keighery, G.J. (1998). The biological survey of the eastern Goldfields of Western Australia. Part 7. Edjudina-Menzies Study Area. Records of the Western Australian Museum, Supplement No. 31:1-137. Perth, WA.
- Dickman CR, Glen AS & Letnic M (2009). Reintroducing the dingo: Can Australia's conservation wastelands be restored? In: MW Hayward & MJ Somers (eds). Reintroduction of top order predators. pp. 238-269. Wiley-Blackwell, London
- Doughty, P. and Ellis, R. (2014a). Checklist of the Amphibians of Western Australia. Department of Terrestrial Zoology, Western Australian Museum, Welshpool, Western Australia.
- Doughty, P. and Ellis, R. (2014b). Checklist of the Reptiles of Western Australia. Department of Terrestrial Zoology, Western Australian Museum, Welshpool, Western Australia.
- Ecologia Environment. (2011a). Proposed Yeelirrie development Short range endemic invertebrate baseline Survey. Report prepared for URS Australia.
- Ecologia Environment. (2011b). Yeelirrie Short-Range Endemic Invertebrate Impact Assessment. Report prepared for URS Australia.
- Edward, K.L., and Harvey, M.S. (2008) Short-range endemism in hypogean environments: the pseudoscorpion genera *Tyrannochthonius* and *Lagynochthonius* (Pseudoscorpiones: Chthoniidae) in the semiarid zone of Western Australia. *Invertebrate Systematics* 22, 259-293.
- Environmental Protection Authority (EPA) (1979). Yeelirrie Uranium Proposal by Western Mining Corporation. Report and Recommendations by the Environmental Protection Authority. January 1979, Department of Conservation and Environment, Western Australia. Bulletin No. 53.
- EPA (2000). Environmental Protection of Native Vegetation in Western Australia. Position Statement No. 2. December 2000.
- EPA (2002a). Guidance for the Assessment of Environmental Factors: Guidance Statement for Minimising Greenhouse Gas Emissions. Guidance statement No. 12, October 2002.
- EPA (2002b). Terrestrial Biological Surveys as an Element of Biodiversity Protection. Position Statement No. 3. March 2002.
- EPA (2004a). Guidance for the assessment of environmental factors: Terrestrial fauna surveys for environmental impact assessment in Western Australia. No. 56. Environmental Protection Authority, Perth, Western Australia.

- EPA (2004b). Guidance for the assessment of environmental factors: Terrestrial flora and vegetation surveys for environmental impact assessment in Western Australia. No. 51. Environmental Protection Authority, Perth, Western Australia.
- EPA (2006). Guidance for the assessment of environmental factors: Rehabilitation of Terrestrial Ecosystems. No. 6. Environmental Protection Authority, Perth, Western Australia.
- EPA (2007) Guidance for the Assessment of Environmental Factors: Sampling Methods and Survey Considerations for Subterranean Fauna in Western Australia Draft Guidance Statement No. 54A, Environmental Protection Authority, Perth, 37 pp.
- EPA (2009). Guidance for the Assessment of Environmental Factors, Statement No 20: Sampling of Short Range Endemic Invertebrate Fauna for Environmental Impact Assessment in Western Australia.
- EPA (2013) Environmental Assessment Guideline No. 12 - Consideration of Subterranean Fauna in Environmental Impact Assessment in WA. Environmental Protection Authority Western Australia, Perth, 24 pp.
- EPA (2014). Environmental Assessment Guideline for Consideration of environmental impacts from noise. Environmental Assessment Guideline No. 13. September 2014.
- EPA (2015a). Environmental Assessment Guideline for Environmental factors and objectives. Environmental Assessment Guideline No. 8. January 2015.
- EPA (2015b). Environmental Assessment Guideline for application of a significance framework in the environmental impact assessment process: Focusing on the key environmental factors. Environmental Assessment Guideline No. 9. January 2015.
- EPA and DEC (2010). Technical Guide - Terrestrial Vertebrate Fauna surveys for Environmental Impact Assessment (eds B.M. Hyder, J. Dell and M.A Cowan). Perth, Western Australia.
- Emery, C., Tai, E. & Yarwood, G., (2001). Enhanced Meteorological Modeling and Performance Evaluation for Two Texas Ozone Episodes, The Texas Natural Resource Conservation Commission, Austin, Texas 78753.
- ERA (2014). Ranger 3 Deeps Draft Environmental Impact Statement (accessed from [http://www.energyres.com.au/whatwedo/3108\\_draft\\_eis.asp](http://www.energyres.com.au/whatwedo/3108_draft_eis.asp) November 2014).
- Galassi, D.M.P., Huys, R., and Reid, J.W. (2009) Diversity, ecology and evolution of groundwater copepods. *Freshwater Biology* 54, 691-708.
- Gardner, C.A. (1942) The Vegetation of Western Australia with special reference to climate and soils. *J. Proc. R. Soc. West. Aust.* 28:11-87.
- Garnett, S. and Crowley, G. (2000). The Action Plan for Australian Birds. Environment Australia and the Royal Australasian Ornithologists Union.
- Garnett, S., Szabo, J. and Dutson, G. (2011). The Action Plan for Australian Birds 2010. CSIRO Publishing.
- Garnier-Laplace, J., Copplestone, D., Gilbin, R., Alonzo, F., Ciffroy, P., Gilek, M., Agiero, A., Bjork, M., Oughton, D.H., Jaworska, A., Larsson, C.M., & Hingston, J.L. (2008). Issues and practices in the use of effects data from FREDERICA in the ERICA Integrated Approach. *Journal of Environmental Radioactivity* 99pp. 1474-1483.
- Gaull B.A., Michael-Leiba M.O., and Rynn J.M.W., (1990). Probabilistic earthquake risk maps of Australia. *Australian Journal of Earth Sciences*, 37, 169-187.



- Geoscience Australia (2015). Earthquakes Map (<http://www.ga.gov.au/earthquakes/>) viewed 22 January 2015.
- GHD (2010a) Stygofauna baseline survey: Murray drainage and water management plan and associated studies. Perth, 18 pp.
- GHD (2010b) Report for Jack Hills expansion project troglofauna phase 5 and 6 results and habitat assessment. GHD, Perth, 22 pp.
- Gibert, J., and Deharveng, L. (2002) Subterranean ecosystems: a truncated functional biodiversity. *Bioscience* 52, 473-481.
- Giribet, G., McIntyre, E., Christian, E., Espinasa, L., Ferreira, R.L., Francke, O.F., Harvey, M.S., Isaia, M., Kováč, L., McCutchen, L., Souza, M.F.V.R., and Zagamajster, M. (2014) The first phylogenetic analysis of Palpigradi (Arachnida) - the most enigmatic arthropod order. *Invertebrate Systematics* 28, 350-360.
- Gleason, J., (2011). Report of Indigenous heritage assessment for BHP Billiton: mineral exploration program at Yeelirrie – western zone, southwest of Wiluna, WA. Unpublished report prepared for BHPB-YDC.
- Golder (1982). Report to K.S.R. Joint Venture on Tailings Disposal for Yeelirrie Uranium Mining Project, Yeelirrie, WA. Golder Associates, April 1982.
- Golder (2010). Yeelirrie In-pit Benchmarking Study, Golder Associates, 2010.
- Government of Western Australia (2000). *Bush Forever 2000*, Vol. 2
- Government of Western Australia (2004). *Western Australian Greenhouse Strategy*. Prepared by the Western Australian Greenhouse Task Force. September 2004.
- Government of Western Australia (2007). *Making Decisions for the Future: Climate Change Statement*. The Premier's Climate Change Action Statement, May 2007.
- Grant, C.D. & Blackmore, A.V. (1991). Self-mulching behaviour in clay soils: Its definition and measurement. *Australian Journal of Soil Research*, vol. 29, 155-173.
- Guzik, M.T., Cooper, S.J.B., Humphreys, W.F., Ong, S., Kawakami, T., and Austin, A.D. (2011) Evidence for population fragmentation within a subterranean aquatic habitat in the Western Australian desert. *Heredity* 107, 215-230.
- Guzik, M.T., Austin, A.D., Cooper, S.J.B., Harvey, M.S., Humphreys, W.F., Bradford, T., Eberhard, S.M., King, R.A., Leys, R., Muirhead, K.A., and Tomlinson, M. (2011) Is the Australian subterranean fauna uniquely diverse? *Invertebrate Systematics* 24, 407-418.
- Halse, S.A., and Pearson, G.B. (2014) Troglifauna in the vadose zone: comparison of scraping and trapping results and sampling adequacy. *Journal of Subterranean Biology* 13, 17-34.
- Harrington, R. (2002). The effects of artificial watering points on the distribution and abundance of avifauna in an arid and semi-arid mallee environment. PhD thesis, Department of Zoology, The University of Melbourne.
- Harrison, S.E., Guzik, M.T., Harvey, M.S., and Austin, A.D. (2014) Molecular phylogenetic analysis of Western Australian troglobitic chthoniid pseudoscorpions (Pseudoscorpiones: Chthoniidae) points to multiple independent subterranean clades. *Invertebrate Systematics* 28, 386-400.
- Harvey, M. (2002). Short-range Endemism amongst the Australian fauna: examples from non-marine environments. *Invertebrate Systematics*, 16: 555-570

- Harvey, M.S., and Edward, K.L. (2007) A review of the pseudoscorpion genus *Ideoblothrus* (Pseudoscorpiones, Syarinidae) from western and northern Australia. *Journal of Natural History* 41, 445-472.
- Harvey, M.S., and Leng, M.C. (2008) Further observations on *Ideoblothrus* (Pseudoscorpiones: Syarinidae) from subterranean environments in Australia. *Records of the Western Australian Museum* 24, 381–386.
- Herring Storer Acoustics (2011a). BHP Billiton Limited Environmental Noise Assessment Yeelirrie Project, February 2011 Ref: 11840-3-09060.
- Herring Storer Acoustics (2011b) BHP Billiton Limited Vehicle Movement Noise Assessment Yeelirrie Project, February 2011, Ref: 11838-3-09060.
- Higgins, P. J. (Ed.) (1999). *Handbook of Australian, New Zealand and Antarctic Birds. Volume 4: Parrots to Dollarbird*. Oxford University Press, Melbourne, Australia.
- Hondros, J. (2015) Yeelirrie Development – Radiation Technical Report. Report for Cameco, June 2015
- How, R. A., Cooper, N. K. and Bannister, J. L. (2013). *Checklist of the Mammals of Western Australia*. Department of Terrestrial Zoology, Western Australian Museum, Welshpool, Western Australia.
- Humphreys, W.F. (2001) Groundwater calcrete aquifers in the Australian arid zone: the context to an unfolding plethora of stygal biodiversity. *Records of the Western Australian Museum Supplement* 64, 63-83.
- Humphreys, W.F. (2008) Rising from Down Under: developments in subterranean biodiversity in Australia from a groundwater fauna perspective. *Invertebrate Systematics* 22, 85-101.
- International Atomic Energy Agency (IAEA) (1992). Effects of ionizing radiation on plants and animals at levels implied by current radiation protection standards. In: *Technical reports Series*, 1992, IAEA, Vienna.
- IAEA (1996). *International Basic Safety Standards for Protection Against Ionizing Radiation and for the Safety of Radiation Sources*. Vienna.
- International Commission on Radiological Protection (ICRP) (1977). Publication 26, *Recommendations of the International Commission on Radiological Protection*, *Annals of the ICRP* 1, 3 (1977).
- ICRP (1994). *Dose Coefficients for Intakes of Radionuclides by Workers*, ICRP Publication 68. *Ann. ICRP* 24 (4), 1994.
- ICRP (2003). ICRP, 'A Framework for Assessing the Impact of Ionising Radiation on Non-Human Species', *International Commission on Radiological Protection Publication* 91, *Annals of the ICRP*, 2003, 33 (3): pp. 201–270.
- Intergovernmental Panel on Climate Change (IPCC) (2014). *Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* [Core Writing Team, R.K. Pachauri and L.A. Meyer (eds.)]. IPCC, Geneva, Switzerland, 151 pp. ([http://www.ipcc.ch/publications\\_and\\_data/ar4/syr/en/mains1.html](http://www.ipcc.ch/publications_and_data/ar4/syr/en/mains1.html)) viewed 28 January 2015.
- Ironbark Heritage & Environment Pty Ltd (IHE) (2013). *Archaeological Assessment: Yeelirrie, Northern Goldfields Region Western Australia. Yeelirrie Project Areas and Infrastructure Corridors Survey*. A report to BHP Billiton – YDC. May 2013.

- Johansen, M.P. & Twining, J.R. (2010). Radionuclide concentrations in Australian terrestrial wildlife and livestock: data compilation and analysis. *Radiation and Environmental Biophysics*, 49pp, 603-611.
- Johnson, S. L., Commander, D. P. & O'Boy, C. A. (1999). Groundwater resources of the Northern Goldfields, Western Australia: Water and Rivers Commission, Hydrogeological Record Series, Report HG 2, 57p.
- Johnstone, R. E. (2013). Checklist of the Birds of Western Australia. Department of Terrestrial Zoology, Western Australian Museum, Welshpool, Western Australia.
- Johnstone, R. E., Storr, G. M. (1998). Handbook of Western Australian birds, volume I: non-passerines (emu to dollarbird). Western Australian Museum, Perth, Western Australia.
- Judd, S., and Horwitz, P. (2003). Diversity and biogeography of terrestrial isopods (Isopoda, Oniscidea) from southwestern Australia: organic matter and microhabitat utilization in seasonally dry landscapes. *Crustaceana Monographs* 2, 191-215.
- Karanovic, T. (2004) Subterranean copepods (Crustacea: Copepoda) from arid Western Australia. *Crustaceana Supplement* 3, 1-366.
- Karanovic, T., and Cooper, S.J.B. (2011a) Molecular and morphological evidence for short range endemism in the *Kinnecaris solitaria* complex (Copepoda: Parastenocarididae), with descriptions of seven new species. *Zootaxa* 3026, 1-64.
- Karanovic, T., and Cooper, S.J.B. (2011b). Third genus of parastenocarid copepods from Australia supported by molecular evidence (copepoda, Harpacticoida). In: Defaye, D.E., Suárez-Morales, J.C., Vaupel Klein (eds.) *Crustacean Monographs, studies on Freshwater Copepoda: a volume in honour of Hernard Dussart*. Brill, 574pp.
- Karanovic, T., and Cooper, S.J.B. (2012) Explosive radiation of the genus *Schizopera* on a small subterranean island in Western Australia (Copepoda : Harpacticoida): unravelling the cases of cryptic speciation, size differentiation and multiple invasions. *Invertebrate Systematics* 26, 115-192.
- Karanovic, T., Eberhard, S., Cooper, S.J.B., and Guzik, M.T. (2014) Morphological and molecular study of the genus *Nitokra* (Crustacea, Copepoda, Harpacticoida) in a small palaeochannel in Western Australia. *Organisms, Diversity & Evolution* 15, 1-35.
- Kaste, J.M., Heimsath, A.M. & Bostick, B.C. (2007). Short-term soil mixing quantified with fallout radionuclides. *Geology*, 35pp, 243-246.
- Katestone (2014a). Air Quality Assessment of the Yeelirrie Uranium Project. Prepared for Cameco Australia Pty Ltd, December 2014
- Katestone (2014b). Radon Assessment of the Yeelirrie Uranium Project. Prepared for Cameco Australia Pty Ltd, December 2014.
- Keighery, B. J. (1994). Bushland Plant Survey. A Guide to Plant Community Survey for the Community. Wildflower Society of WA (Inc.), Western Australia.
- King, J. M., and Bradshaw, S.D. (2008). Comparative water metabolism of Barrow Island macropod marsupials: Hormonal versus behavioural-dependent mechanisms of body water conservation. *General and Comparative Endocrinology*, 155, 378-385.
- KLA (2012). Spring Fauna Assessment - C3, C4 and Bowerbird, Wiluna West Project. Unpublished report. Keith Lindbeck and Associates, Perth.

- Landcare Services (2011). *Atriplex* sp. Yeelirrie Station (L. Trotter & A. Douglas LCH25025) Seed Collection Program Report, February 2011. Consultants report prepared for URS Australia Pty Ltd and BHP Billiton Yeelirrie Development Company Pty Ltd. Report ref LCS693.
- Landgate (2010). Firewatch. ([http://firewatch.landgate.wa.gov.au/landgate\\_firewatch\\_public.asp](http://firewatch.landgate.wa.gov.au/landgate_firewatch_public.asp)) viewed 22 January 2015.
- Lamoureux, J. (2004) Stygobites are more wide-ranging than troglobites. *Journal of Cave and Karst Studies* 66, 18-19.
- Larsson, C.M. (2008). An overview of the ERICA Integrated Approach to the assessment and management of environmental risks from ionising contaminants. *Journal of Environmental Radioactivity*, 2008, pp 1364 -1370.
- Latz, P. (1995). Fire in the desert. Increasing biodiversity in the short term, decreasing it in the long term. In: D. Bird Rose (ed.). *Country in Flames*. Proceedings of the 1994 Symposium on Biodiversity and Fire in North Australia. Biodiversity Unit, Department of the Environment, Sport and Territories and North Australia Research Unit, The Australian National University, Canberra and Darwin.
- Lenzen, M. (2008). Life cycle energy and greenhouse gas emissions of nuclear energy: A review. *Energy Conversion and Management*, Vol. 49, pp. 2178-2199.
- Leys, R., and Watts, C.H.S. (2008). Systematics and evolution of the Australian subterranean hydroporine diving beetles (Dytiscidae), with notes on *Carabhydrus*. *Invertebrate Systematics* 22, 217-225.
- Liberman, K. (1977a). A survey for Aboriginal sites - Yeelirrie Uranium Project - Supplementary Report – Nov. 1977. Unpublished report prepared for Aboriginal Sites Department, WA Museum, on behalf of Western Mining Corporation.
- Liberman, K. (1977b). Eastern Goldfields Aboriginal People and the proposed Yeelirrie Uranium Development - a supplement to the report, "Tjankultjanu". Unpublished report prepared as part of a submission to the Registrar of Aboriginal Sites, WA Museum.
- Lyons, T.J., Steedman, R.K. & Steedman, R.K., (1981). Stagnation and Nocturnal Temperature Jumps in a Desert Region of Low Relief. *B*, 21, pp.369–387.
- Mabbutt, J.A. (1963) General report on the lands of the Wiluna-Meekatharra area, Western Australia 1958. Land Research Series 7. CSIRO, Melbourne.
- Magee, J.W. (2007). Australian lake-level studies. In: Elias, S.A. (ed.). *Encyclopaedia of Quaternary Science*. Elsevier, B.V. 1359-1365.
- Malleefowl Preservation Group. (2014). Annual monitoring of Malleefowl mounds at Yeelirrie, Western Australia. Malleefowl Preservation Group.
- Mann, A.W.H., C (1979) Groundwater calcrete deposits in Australia some observations from Western Australia. *Australian Journal of Earth Sciences* 26, 293 - 303.
- Mann, A.W., and Horwitz, R.C. (1979) Groundwater calcrete deposits in Australia: some observations from Western Australia. *Journal of the Geological Society of Australia* 26, 293-303.
- Mason, C., Elliot, T. & Hong Gan, T. (1982). A study of radon emanation in waste rock at Northern Territory uranium mines, Melbourne: Australian Radiation Laboratory.
- Mattner, J. (2015). Review & verification of Aboriginal heritage landscape Yeelirrie Project, Northeastern Goldfields, June 2015. Prepared for Cameco Australia, Waru Consulting Pty Ltd.

- McAlpin, S. (1997). Conservation of the Great Desert Skink, *Egernia kintorei*, at Uluru - Kata Tjuta National Park, N.T. Page(s) 1-63. Canberra: ANCA.
- McTainsh, G. and Tews, K. (2007) Soil erosion by wind - Dust Storm Index (DSI): National Monitoring and Evaluation Framework, prepared for the National Land & Water Resources Audit, Canberra
- Meissner, R. (2011). Flora and vegetation of calcrete palaeodrainage channels in the north eastern Goldfields (Draft). Department of Environment and Conservation, Western Australia.
- Mid West Development Commission (2014). Mid West Regional Blueprint: A 2050 growth and development strategy for an intergenerational, global, innovative and dynamic Mid West region that attracts and retains talent and investment. Draft for public comment, 23 September 2014 ([http://www.mwdc.wa.gov.au/Assets/Mid\\_West\\_Regional\\_Blueprint\\_-\\_draft\\_for\\_Public\\_Comment.pdf](http://www.mwdc.wa.gov.au/Assets/Mid_West_Regional_Blueprint_-_draft_for_Public_Comment.pdf)) viewed 28 January 2015.
- Morgan, K.H. (1993) Development, sedimentation and economic potential of palaeoriver systems of the Yilgarn Craton of Western Australia. *Sedimentary Geology* 85, 637-656.
- National Energy Research and Demonstration Council (NERDC) (1988). "Air Pollution from Surface Coal Mining: Volume 2 Emission Factors and Model Refinement". Project 921.
- Needham, S. (2009). Yeelirrie uranium deposit in Western Australia. Parliament of Australia, Parliamentary Library Background Note, Science Technology Environment and Resources Section. 24 November 2009, 2009-10, (<http://www.aph.gov.au/binaries/library/pubs/bn/sci/uraniumwa.pdf>) viewed 22 January 2015.
- Outback Ecology (2011). Toro Energy Limited Wiluna Uranium Project: Terrestrial Fauna Assessment 2010. Unpublished report, 2011. Outback Ecology Services, Jolimont, WA.
- Outback Ecology (2011) Wiluna Uranium Project subterranean fauna assessment (Toro Energy Pty Ltd). Outback Ecology, Jolimont.
- Payne, A.L., Van Vreeswyk, A.E., Pringle, H.J.R., Leighton, K.A., and Hennig, P. (1998). An inventory and condition survey of the Sandstone – Yalgoo - Paynes Find area, Western Australia. Technical Bulletin #90, Department of Agriculture, South Perth, WA. Text and associated 1:250,000 maps.
- Pearson, D. J. (2012). Recovery Plan for five species of rock-wallabies: black-flanked rock-wallaby (*Petrogale lateralis*), Rothschild's rock-wallaby (*Petrogale rothschildi*), short-eared rock-wallaby (*Petrogale brachyotis*), monjon (*Petrogale burbidgei*) and nabarlek (*Petrogale concinna*). Department of Environment and Conservation, Perth.
- Phoenix Environmental (2015). Identification and assessment of short-range endemism of invertebrates from Yeelirrie, Western Australia. Taxonomic Report. Prepared for Bamford Consulting, March 2015.
- Pinder, A.M. (2008) Phreodrilidae (Clitellata: Annelida) in north-western Australia with descriptions of two new species. *Records of the Western Australian Museum* 24, 307-313.
- Platnick, N.I. (2008) A new subterranean ground spider genus from Western Australia (Araneae : Trochanteriidae). *Invertebrate Systematics* 22, 295-299.
- Pringle, H.J.R., Van Vreeswyk A.M.E. and Gilligan, S.A. (1994). An inventory and condition survey of rangelands in the North-eastern Goldfields, Western Australia. *Western Botanical* 240 Technical Bulletin No. 87, Department of Agriculture, South Perth, WA. Text and associated 1:250,000 maps.
- Read, J.L. (1999). A strategy for minimizing waterfowl deaths on toxic waterbodies. *Journal of Applied Ecology*, 36, 345–350.

- Rodríguez, J.P., Rodríguez-Clark, K.M., Baillie, J.E.M., et al. (2011) Establishing IUCN Red List Criteria for Threatened Ecosystems. *Conservation Biology* 25, 21-29.
- Sanders, C.C. (1974) Calcrete in Western Australia. Western Australian Geological Survey, Annual Report for 1973. Pp. 12-14.
- Sample, B. E., D.M. Opresko, and G.W. Suter, (1996). Toxicological Benchmarks for Wildlife: 1996 Revision, ES/ER/TM-86/R3, Oak Ridge National Laboratory, Oak Ridge, Tennessee.
- Scheller, U. (2010) Pauropods (Myriapoda: Pauropoda) from Western Australia, with descriptions of a new family, a new genus and three new species. *Records of the Western Australian Museum* 26, 1-10.
- Scheller, U. (2013) Pauropoda (Myriapoda) in Australia, with descriptions of new species from Western Australia. *Records of the Australian Museum* 82, 140.
- Schoknecht N (2002). Soil Groups of Western Australia - a guide to the main soils of Western Australia, Edition 3. Resource Management Technical Report 246. Department of Agriculture, Western Australia.
- Scoble, J. (2012). No place to go and nowhere to be?: Characterising demography of the southern scrub-robin (*Drymodes brunneopygia*) using molecular and modelling tools for conservation. Thesis (Ph.D.), University of Adelaide, School of Earth and Environmental Sciences, 2012.
- Shepherd, K.A., Sampson, J, Thiele, K and Byrne, M. (Science Division, Department of Environment and Conservation) (no date). Taxonomic resolution of *Atriplex* sp. Yeelirrie Station (L. Trotter & A. Douglas LCH 25025) utilising morphological and molecular methods. Report commissioned by BHP Billiton Yeelirrie Uranium Project.
- Soilwater Consultants (SWC) (2015a). Memorandum to Cameco Australia: Yeelirrie Uranium Project MCP, Landform Evolution Modelling, 14 May 2015. Project & Document No: CAM-003-1-13, 002.
- SWC (2015b). *Atriplex* sp. Yeelirrie Station Investigation. Report for Cameco Australia Pty Ltd, 23 June 2015. CAM-0002-1-2.
- Southgate, R., R. Paltridge, P. Masters & S. Carthew (2007). Bilby distribution and fire: A test of alternative models of habitat suitability in the Tanami Desert, Australia. *Ecography*. 30:759-776.
- Sovacool, B. K. (2008). Valuing the greenhouse gas emissions from nuclear power: A critical survey, *Energy Policy*, Vol. 36, 2008, pp. 2940-2953.
- Specht, R.L. (1970) Vegetation. In. *The Australian Environment*. 4th edition, ed. Leeper, G.W. pp. 44–67, CSIRO-Melbourne Univ. Press, Melbourne.
- SRK (2011). Proposed Yeelirrie Development Assessment of Tailings and Mine Waste Source Terms, SRK, March 2011.
- Standards Australia (1993) AS 1170.4-1993: Minimum design loads on structures – Part 4: Earthquake Loads, Standards Australia, Homebush, Sydney.
- Stevens, R., (2009a). Report of a work area clearance heritage survey of the Yeelirrie Uranium Project exploration drilling program in the Western Australian Goldfields region. Unpublished report prepared for CDNTS on behalf of BHPB-YDC.
- Stevens, R., (2009b). Report of a work program clearance heritage survey of Yeelirrie Uranium Project hydrological bore placement program, Western Australian Goldfields. Unpublished report prepared for CDNTS on behalf of BHPB-YDC.



- Stevens, R., (2010)/ Heritage survey report work program clearance - BHP Billiton – Yeelirrie Uranium Project hydrological bore sump program, Western Australian Goldfields. Unpublished report prepared for CDNTS on behalf of BHPB-YDC.
- Subterranean Ecology, S. (2011) Yeelirrie Subterranean Fauna Survey. Proposed Yeelirrie Development. Report prepared for BHP Billiton Yeelirrie Development Company Pty Ltd. Subterranean Ecology Pty Ltd, Stirling, Western Australia, 87 pp.
- Taiti, S. (2014) New subterranean Armadillidae (Crustacea, Isopoda, Oniscidea) from Western Australia. *Tropical Zoology*, 27, 1-13.
- Taiti, S., and Humphreys, W.F. (2001) New aquatic Oniscidea (Crustacea: Isopoda) from groundwater calcretes of Western Australia. *Records of the Western Australian Museum* 64, 133-151.
- Thompson, R.S. (1994). Residence time of contaminants released at surface coal mines – a wind-tunnel study. *Proceedings of 8th Air Pollution and Meteorology Conference*, Americal Meteorological Society.
- Thompson, S.A. and Thompson, G.G. (2006). *Reptiles of the Western Australian Goldfields*. Kalgoorlie, WA: Goldfields Environmental Management Group.
- Thompson, J. E. and Wilson, O.J. (1980). *Calculation of Gamma Ray Exposure Rates from Uranium Ore Bodies*, 1980 Australian Radiation Laboratory.
- Tille, P. (2006). *Resource Management Technical Report 313 – Soil landscapes of Western Australia’s Rangelands and Arid Interior*. Department of Agriculture and Food, Government of Western Australia.
- United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR) (1996). *Report to the General Assembly, Scientific Annexe: Effects of radiation on the environment*, New York.
- United States Department of Energy (2002). *A graded approach for evaluating radiation doses to aquatic and terrestrial biota*. In: Department of Energy Standard, 2002, Washington.
- URS (2011a). *Geochemical Assessment of Tailings and Mine Waste – Proposed Yeelirrie Development*, URS, March 2011.
- URS (2011b) *Groundwater Study, Yeelirrie Uranium Project*. Draft Report prepared for BHP Billiton Yeelirrie Development Company Pty Ltd. East Perth, Western Australia, 195 pp.
- URS (2015a). *Greenhouse Gas (GHG) Forecast for the Proposed Yeelirrie Development*, January 2015 Ref: 42908765/01/02.
- URS (2015b). *Surface Water Study Proposed Yeelirrie Development*, 1 June 2015. Ref: 42908794/BW-Wat-0129/0.
- URS (2015c). *Yeelirrie Water Balance Study*. 11 June 2015. Ref: 42908794/BW-Wat-0175/B
- Van Dyck, S. and Strahan, R. (Eds.) (2008). *Mammals of Australia*. 3rd Edition. Australian Museum, Sydney.
- Western Australian Museum (WAM) (1976). *A survey for Aboriginal sites – 1976 - Yeelirrie Uranium Project*. Unpublished report prepared for Aboriginal Sites Department, WA Museum, on behalf of Western Mining Corporation.
- WAM (2009). *Species List from Western Australian Museum Arachnid Database*. Latitude: 026°30`S to 027°030`S, Longitude: 119°E to 121°E.

- Western Mining Corporation Limited (1978). Vegetation and flora survey for the draft EIS and ERMP.
- Western Mining Corporation Limited (1979). Draft Environmental Impact Statement and Environmental Review and Management Programme Yeelirrie Uranium Project, WA.
- Western Botanical (2007). Flora and Vegetation Assessment of Clearing Permit Application Area at Leinster Nickel Operation. Report WB468 to BHP Billiton, Nickel West, Leinster Operations, WA.
- Western Botanical (2008a). Assessment of Flora and Vegetation for a Native Vegetation Clearing Permit Application. Report WB561 to BHP Billiton, Nickel West, Mount Keith Operations, WA.
- Western Botanical (2008b). Flora, Vegetation and Conservation Values of the northwestern corner of the Wanjarri Nature Reserve. Report WB491 to BHP Billiton, Nickel West, Mount Keith Operations, WA.
- Western Botanical (2008c) Flora and Vegetation of the Proposed Clearing within the Koonoonooka Sand Quarry. Report WB507 to BHP Billiton, Nickel West, Leinster Operations, Leinster, WA.
- Western Botanical (2009) Flora and Vegetation Interim Baseline Report, October 2009. Report WB611 to BHPB Yeelirrie Uranium Project.
- Western Botanical (2011). Yeelirrie Project, Flora and Vegetation Survey Baseline Report, February 2011, for BHP Billiton Yeelirrie Development Company Pty Ltd, Report WB653, 28 February 2011.
- Western Botanical (2014). Demographic Study of *Atriplex* sp. Yeelirrie Station, August 2014. Report WB 836 to Cameco Australia.
- Western Botanical (2015a). Addendum to Report WB653: Yeelirrie Project Flora and Vegetation Survey (February 2011), March 2015, Report WB839 to Cameco Australia,.
- Western Botanical (2015b) (In Prep). Demography assessment Phase 1, *Atriplex* sp. Yeelirrie Station eastern, western and rehabilitation populations. March 2015. Report WB844 to Cameco Australia.
- Western Botanical (2015c) (In Prep). Draft Initial Review of Lake Mason for Potential Translocation Sites of *Atriplex* sp. Yeelirrie Station, June 2015. Report WB848 to Cameco Australia.
- Western Botanical (2015d) (In Prep). Germination Trial of *Atriplex* sp. Yeelirrie Station, May 2015, Report WB849 to Cameco Australia.
- White, N. (2015). DNA identification of sample WF15-01-1 (Yeelirrie). Australian Wildlife Forensic Services, Curtin University, Bentley.
- Wisn, M.S., Hijmans, R.J., Li, J., Petersen, A.T., Graham, C.H. and Guisan, A. (2008). Effects of sample size on the performance of species distribution models. *Diversity and Distributions* 14, 763-77.
- World Nuclear Association (2014). Uranium Markets (updated April 2014) (<http://www.world-nuclear.org/info/nuclear-fuel-cycle/uranium-resources/uranium-markets/>) viewed 27 January 2015.
- World Nuclear Association (2015). World Nuclear Power Reactors & Uranium Requirements (updated 1 January 2015) (<http://www.world-nuclear.org/info/Facts-and-Figures/World-Nuclear-Power-Reactors-and-Uranium-Requirements/>) viewed 27 January 2015.
- Yankovich, T.L., Beresford, N.A., Wood, M., Aono, T., Andersson, P., Barnett, C.L., Bennett, P., Brown, J.E., Fesenko, S., Fesenko, J., Hosseini, A., Howard, B.J., Johansen, M.P., Phaneuf, M., Tagami, K., Takata, H., Twining, J.R., Uchida, S., (2010). Whole-body to tissue concentration ratios for use in biota dose assessments for animals. *Radiation and Environmental Biophysics* 49pp, 549-565.